

Stocklist Welding Consumables

Alloy	HASTELLOY®	HASTELLOY®	HASTELLOY®	HASTELLOY®	HASTELLOY®	ULTIMET ®	Titanium	Titanium
	B-3®	C-4	C-22®	C-2000®	C-276		Grade 2	Grade 5
DIN	2.4695	2.4611	2.4635	2.4698	2.4886	2.4681	3.7035	3.7165
UNS	N 10675	N06455	N06022	N06200	N10276	R31233	R50400	R56400
TIG Welding Rods Ø/mm								
Ø 1.6 mm					-			
Ø 2.0 mm								
Ø 2.4 mm								
Ø 3.2 mm					-			
Ø 4.0 mm								
MIG Welding Wire								
Ø 0.89 mm								
Ø 1.20 mm								•
Coated Electrodes								
DIN	2.4696	2.4612	2.4638	2.4699				
UNS	W80675 (B-3)	W86455 (C-4)	W86022 (C-22)	W86200 (C-2000)				
Ø 3.2 mm								
Ø 4.0 mm								

- ® HASTELLOY is a registered trademark of our contracted manufacturer HAYNES International, Inc., Kokomo, Indiana, U.S.A.
- Available from stock in GER
- Available from mill stock
- _ Other alloys and dimensions on request

Zapp Precision Metals GmbH HIGH PERFORMANCE ALLOYS Zapp-Platz 1, 40880 Ratingen Phone +49 2102 710-204 Fax +49 2102 710-391 highperformancealloys@zapp.com www.zapp.com The illustrations, drawings, dimensional and weight data and other information included in this brochure are intended only for the purposes of describing our products and represent non-binding average values. They do not constitute quality data, nor can they be used as the basis for any guarantee of quality or durability. The applications presented serve only as illustrations and can be construed neither as quality data nor as a guarantee in relation to the suitability of the material. This cannot substitute for comprehensive consultation on the selection of our products and on their use in a specific application. The brochure is not subject to change control.